



Bilayer Phytocyst 30 Tablets Drasanvi

SKU: 032057098 EAN13: 8436601100023

Description

Phytocyst is a food supplement based on the use of dried extract of the American Cranberry, *Vaccinium macrocarpon*, which is of great nutritional value: fibre, vitamins and minerals. But it is the Proanthocyanidins (PACs-A), the most important active ingredient present in American Cranberries, which is why the extract used in Phytocyst® is titrated at 40% in this substance. In addition to this premium extract, fructo-oligosaccharides, probiotics and Vitamin C have been added, which contribute to the normal functioning of the immune system.

Ingredients

D-Mannose 300 mg , Bulking Agent (*Microcrystalline Cellulose*) , American Cranberry Dry Extract (*Fruit*) (*Vaccinium macrocarpon Ait.*, *Proanthocyanidins type A, PAC40%*) 150 mg, Fructooligosaccharides 50 mg, Vitamin C (*Ascorbic Acid*) 40 mg, Bulking Agent (*Magnesium salt of fatty acid*) , Binder (*Hydroxypropyl methylcellulose*) , Anti-caking agent (*Silicon dioxide*) , Probiotics (*Maize starch, Maize maltodextrin, Fructooligosaccharides, Inulin, Maize dextrin, Potassium chloride, Hydrolysed vegetable protein, Magnesium sulphate*), *Bifidobacterium lactis* (2 strains), *Enterococcus faecium*, *Lactobacillus acidophilus*, *Lactobacillus paracasei*, *Lactobacillus plantarum* (2 strains), *Lactobacillus salivarius*, *Lactococcus lactis*, *Amylase Enzyme*, *Vanilla Flavouring*, *Manganese Sulphate*) 5 mg, Folic acid (*Pteroylmonoglutamic acid*) 100 µg

Directions

At the beginning, take 2 tablets a day, every 12 hours, for 7 days. After 7 days, it is recommended to take 1 tablet mid-morning and 1 tablet one hour before bedtime for six months.

Presentation

Contains 30 tablets of 874 mg. Total weight: 26,22 g (0.92 oz)

Warnings

Food supplement based on mannose, plants, fructo-oligosaccharides, probiotics and vitamins.

Food supplements should not be used as a substitute for a balanced diet. Do not exceed the expressly recommended daily dose. Keep out of the reach of young children. Store in a cool, dry place.

Excessive consumption may cause intestinal discomfort. Avoid use in combination with medicines and other fibre-based food supplements

Nutrition Facts

Per daily dose (1 tablet)

| Ingredient | Percentage | Quantity |
|------------|------------|----------|
| Vitamin C | 50% | 40 mg |

Folic acid

50%

100 µg

% NRV (Nutrient Reference Value)

Allergen Information

Allergen-free

Certifications

